

MEDICATION REFRIGERATOR TEMPERATURE MONITORING LOG

INSTRUCTIONS:

RECORD REFRIGERATOR THERMOMETER READING **DAILY** or **TWICE DAILY** IF VACCINATIONS IN FRIDGE ON THE TABLE BELOW. REPORT ANY READINGS OUTSIDE THE ACCEPTABLE RANGE TO MANAGER/COORDINATOR.

RESIDENTIAL HOME _____ LOCATION _____

MONTH _____ YEAR _____

ACCEPTABLE TEMPERATURE RANGE
2°C - 8°C

DATE	TIME	MINIMUM TEMP (2°C)	MAXIMUM TEMP (8°C)	CORRECTIVE ACTION (IF OUTSIDE ACCEPTABLE RANGE)	SIGNATURE
1 ST					
2 ND					
3 RD					
4 TH					
5 TH					
6 TH					
7 TH					
8 TH					
9 TH					
10 TH					
11 TH					
12 TH					
13 TH					
14 TH					

15 TH					
16 TH					
17 TH					
18 TH					
19 TH					
20 TH					
21 ST					
22 ND					
23 RD					
24 TH					
25 TH					
26 TH					
27 TH					
28 TH					
29 TH					
30 TH					
31 ST					

Version No: 2.00	Approved By: SCPC	Approved Date: 27/09/2017	Amendment Details: Reviewed September 2020; nil changes
------------------	-------------------	---------------------------	---------------------------------------------------------